L Number	Hits	Search Text	DB	Time stamp
1	1	("5332160").PN.	USPAT;	2004/04/15 13:29
	_		US-PGPUB	
2	1861	((138/109) or (138/104) or (138/125)).CCLS.	USPAT;	2004/04/15 13:30
			US-PGPUB	
3	148110	extrude or extruded	USPAT;	2004/04/15 13:30
			US-PGPUB	
4	142988	textile or reinforcement	USPAT;	2004/04/15 13:30
	_		US-PGPUB	
5	458384	color	USPAT;	2004/04/15 13:30
			US-PGPUB	
6	975059	thickness	USPAT;	2004/04/15 13:30
			US-PGPUB	
7	2373088	changing or different	USPAT;	2004/04/15 13:31
			US-PGPUB	
8	68787	thickness with (changing or different)	USPAT;	2004/04/15 13:31
1			US-PGPUB	
9	199395	(thickness with (changing or different)) or thicker	USPAT;	2004/04/15 13:32
		<u>"</u>	US-PGPUB	
10	1050506	hose or tube or conduit or pipe	USPAT;	2004/04/15 13:32
		••	US-PGPUB	
11	12091	((thickness with (changing or different)) or thicker) with end	USPAT;	2004/04/15 13:32
			US-PGPUB	
12	4615	(hose or tube or conduit or pipe) and (((thickness with (changing or	USPAT;	2004/04/15 13:33
		different)) or thicker) with end)	US-PGPUB	
13	484	color and ((hose or tube or conduit or pipe) and (((thickness with	USPAT;	2004/04/15 13:39
		(changing or different)) or thicker) with end))	US-PGPUB	
14	2	(("4954055") or ("3073352")).PN.	USPAT;	2004/04/15 13:40
		··	US-PGPUB	
15	363	hook-james\$.xa.	USPAT;	2004/04/15 13:40
1		-	US-PGPUB	
16	420	hook-james\$.xp.	USPAT;	2004/04/15 13:40
		· -	US-PGPUB	
17	783	hook-james\$.xa. or hook-james\$.xp.	USPAT;	2004/04/15 13:40
		_	US-PGPUB	
18	380	thickness and (hook-james\$.xa. or hook-james\$.xp.)	USPAT;	2004/04/15 13:41
			US-PGPUB	
19	70	(thickness and (hook-james\$.xa. or hook-james\$.xp.)) and	USPAT;	2004/04/15 13:46
		((thickness with (changing or different)) or thicker)	US-PGPUB	
20	5	("3234969" "3838713" "3902531" "4283447" "5305799").PN.	USPAT	2004/04/15 13:43
21	11	("3315704" "3540488" "3561493" "4101699" "4129472"	USPAT	2004/04/15 13:44
		"4229333" "4424834" "4632959" "4900612" "5284184"		
		"5313987").PN.		
23	387	(((138/109) or (138/104) or (138/125)).CCLS.) and (textile or	USPAT;	2004/04/15 13:47
		reinforcement)	US-PGPUB	
26	156	((((138/109) or (138/104) or (138/125)).CCLS.) and ((thickness with	USPAT;	2004/04/15 13:58
		(changing or different)) or thicker)	US-PGPUB	
27	22	(((138/109) or (138/104) or (138/125)).CCLS.) and (((thickness	USPAT;	2004/04/15 13:47
		with (changing or different)) or thicker) with end)	US-PGPUB	
24	85	(((138/109) or (138/104) or (138/125)).CCLS.) and color	USPAT;	2004/04/15 13:49
			US-PGPUB	
25	50	(((138/109) or (138/104) or (138/125)).CCLS.) and (thickness with	USPAT;	2004/04/15 13:56
		(changing or different))	US-PGPUB	
28	106	(((((138/109) or (138/104) or (138/125)).CCLS.) and ((thickness	USPAT;	2004/04/15 13:58
		with (changing or different)) or thicker)) not ((((138/109) or	US-PGPUB	
		(138/104) or (138/125)).CCLS.) and (thickness with (changing or		
		different)))		
22	369	(((138/109) or (138/104) or (138/125)).CCLS.) and (extrude or	USPAT;	2004/04/15 14:03
		extruded)	US-PGPUB	

		(((120(100) (120(104) (120(105) 007(0) 1 1 1	TIODAT	2004/04/15 14 02
29	224	((((138/109) or (138/104) or (138/125)).CCLS.) and color) or (((((138/109) or (138/104) or (138/125)).CCLS.) and (thickness with	USPAT; US-PGPUB	2004/04/15 14:03
		(((138/109) of (138/104) of (138/129)). CCLS: J and (unexitess with (changing or different))) or ((((138/109) or (138/104) or	03-1 GI 0B	
		(138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) or ((((138/109) or (138/104) or (138/125)). CCLS.) and		
		(((thickness with (changing or different)) or thicker) with end)) or		
		((((((138/109) or (138/104) or (138/125)).CCLS.) and ((thickness		
		with (changing or different)) or thicker)) not ((((138/109) or		
		(138/104) or (138/125)).CCLS.) and (thickness with (changing or different))))		
30	286	((((138/109) or (138/104) or (138/125)).CCLS.) and (extrude or	USPAT;	2004/04/15 14:12
30	200	extruded)) not (((((138/109) or (138/104) or (138/125)).CCLS.) and	US-PGPUB	200 110 1115 14.12
		color) or (((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different))) or ((((138/109) or		
		(138/104) or (138/125)).CCLS.) and ((thickness with (changing or		
		different)) or thicker)) or ((((138/109) or (138/104) or		
		(138/125)). CCLS.) and (((thickness with (changing or different)) or		
		thicker) with end)) or (((((138/109) or (138/104) or (138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) not ((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different)))))		
31	30	("3485234" "4385635" "4405314" "4430083" "4563180"	USPAT	2004/04/15 14:06
		"4596563" "4636346" "4739768" "4983169" "5017259"		
		"5037404" "5061257" "5069673" "5085649" "5180387"		
		"5215614" "5221270" "5240537" "5279596" "5308342"	,	
		"5312356" "5334169" "5336205" "5358493" "5380304" "5380307" "5454795" "5533985" "5542937" "5554139").PN.		
32	510	((((138/109) or (138/104) or (138/125)).CCLS.) and (extrude or	USPAT;	2004/04/15 14:12
J.]	extruded)) or (((((138/109) or (138/104) or (138/125)).CCLS.) and	US-PGPUB	200 1/0 1/13 1 1.12
		color) or ((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different))) or ((((138/109) or		
		(138/104) or (138/125)). CCLS.) and ((thickness with (changing or		
		different)) or thicker)) or ((((138/109) or (138/104) or		
		(138/125)).CCLS.) and (((thickness with (changing or different)) or thicker) with end)) or ((((138/109) or (138/104) or		
		(138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) not ((((138/109) or (138/104) or (138/125)).CCLS.) and	:	
		(thickness with (changing or different)))))		
33	168	(((((138/109) or (138/104) or (138/125)).CCLS.) and (textile or	USPAT;	2004/04/15 14:16
		reinforcement)) not (((((138/109) or (138/104) or	US-PGPUB	
		(138/125)).CCLS.) and (extrude or extruded)) or (((((138/109) or (138/104) or (138/125)).CCLS.) and color) or ((((138/109) or		
		(138/104) or (138/125)).CCLS.) and (thickness with (changing or		
		different))) or ((((138/109) or (138/104) or (138/125)).CCLS.) and		
		((thickness with (changing or different)) or thicker)) or ((((138/109)		
		or (138/104) or (138/125)).CCLS.) and (((thickness with (changing		
		or different)) or thicker) with end)) or (((((138/109) or (138/104) or		
		(138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) not ((((138/109) or (138/104) or (138/125)).CCLS.) and		
34	678	(thickness with (changing or different)))))) ((((138/109) or (138/104) or (138/125)).CCLS.) and (textile or	USPAT;	2004/04/15 14:16
J4	076	reinforcement)) or (((((138/109) or (138/104) or (138/125)).CCLS.)	US-PGPUB	200 110 11 11 11 11
		and (extrude or extruded)) or (((((138/109) or (138/104) or		
		(138/125)).CCLS.) and color) or ((((138/109) or (138/104) or		
		(138/125)).CCLS.) and (thickness with (changing or different))) or		
		((((138/109) or (138/104) or (138/125)).CCLS.) and ((thickness		
		with (changing or different)) or thicker)) or ((((138/109) or (138/104) or (138/125)). CCLS.) and (((thickness with (changing or		
		different)) or thicker) with end)) or (((((138/109) or (138/104) or		
		(138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) not (((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different))))))	<u></u>	

35	1183	((((138/109) or (138/104) or (138/125)).CCLS.) not (((((138/109) or	USPAT;	2004/04/15 14:16
		(138/104) or (138/125)). CCLS.) and (textile or reinforcement)) or	US-PGPUB	
		((((((138/109) or (138/104) or (138/125)).CCLS.) and (extrude or		
		extruded)) or (((((138/109) or (138/104) or (138/125)).CCLS.) and		
		color) or ((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different))) or ((((138/109) or		
		(138/104) or (138/125)). CCLS.) and ((thickness with (changing or		
		different)) or thicker)) or ((((138/109) or (138/104) or		
		(138/125)).CCLS.) and (((thickness with (changing or different)) or		
		thicker) with end)) or (((((138/109) or (138/104) or		
		(138/125)).CCLS.) and ((thickness with (changing or different)) or		
		thicker)) not ((((138/109) or (138/104) or (138/125)).CCLS.) and		
		(thickness with (changing or different)))))))		



PALM INTRANET

Day: Thursday Date: 4/15/2004

Time: 14:18:34

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
mezzalira	rinaldo	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page